


HANSALOFT
trim kit installation set 5.1
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX installation unit
 with shower set
 with bathtub spout, DN 15



Description

HANSALOFT
 trim kit installation set 5.1
 thermostatic mixer, DN 15 (G1/2)
 suitable for HANSAMATRIX installation unit
 with shower set
 with bathtub spout, DN 15

HANSA|LIVING
trim kit
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX installation unit

suitable for HANSASIGNATUR, HANSALOFT,
 HANSADESIGNO, HANSALIGNA, HANSASTELA,
 HANSARONDA,
 with 2-way-diverter/with volume control
 rosette without screws
 Item No.: 44539503
 Qty: 1
 trim kit consisting of:
 temperature control handle (metal) with safety stop at
 38°C
 lever for diverter (metal)
 sleeve and wall rosette
 trim plate frame
 retrofittable temperature limiter at approximately 38 °C

HANSA|LIVING
shower set

with wall connection elbow
 Item No.: 44430100
 Qty: 1
 HANSASTILO hand shower
 Silverjet® shower hose 1250 mm, chrome optic
 wall-mounted shower bracket
 wall connection elbow

HANSALOFT
bathtub spout, DN 15

as wall-mounted spout
 Item No.: 57652100
 Qty: 1
 DR brass (MS 63)
 CACHÉ® flow straightener with fitting wrench
 square rosette , 75x75mm
 rosette, twist-resistant
 round rosette, Ø 75 mm additionally enclosed

HANSA|LIVING
trim kit with function unit
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX installation unit

suitable for HANSASIGNATUR, HANSALOFT,
 HANSADESIGNO, HANSALIGNA, HANSASTELA,
 HANSARONDA,
 with 2-way-diverter/with volume control
 rosette without screws

Item No.: 44539583

Qty: 1

trim kit consisting of:


temperature control handle (metal) with safety stop at 38°C

lever for diverter (metal)

sleeve and wall rosette

trim plate frame

retrofittable temperature limiter at approximately 38 °C

Model	Item No.	
chrome	44874120	

suitable for concealed installation package
HANSAMATRIX 4486 0050

estimated availability until 30.06.2018



Product Image



Product Drawing

