


**HANSALOFT trim kit with function unit  
trim kit installation set 12  
thermostatic mixer, DN 15 (G1/2)  
suitable for HANSAMATRIX installation unit  
with shower set  
with bathtub spout, DN 15**



**Description**

HANSALOFT trim kit with function unit  
trim kit installation set 12  
thermostatic mixer, DN 15 (G1/2)  
suitable for HANSAMATRIX installation unit  
with shower set  
with bathtub spout, DN 15

**HANSA|LIVING  
trim kit with function unit  
thermostatic mixer, DN 15 (G1/2)  
suitable for HANSAMATRIX installation unit**


suitable for HANSASIGNATUR, HANSALOFT,  
HANSADESIGNO, HANSALIGNA, HANSASTELA,  
HANSARONDA,  
with 2-way-diverter/with volume control  
rosette without screws  
Item No.: 44539503  
Qty: 1  
trim kit consisting of:  
temperature control handle (metal) with safety stop at  
38°C  
lever for diverter (metal)  
sleeve and wall rosette  
trim plate frame  
retrofittable temperature limiter at approximately 38 °C

**HANSA|LIVING  
shower set**

with wall connection elbow  
Item No.: 44430100  
Qty: 1  
HANSASTILO hand shower  
Silverjet® shower hose 1250 mm, chrome optic  
wall-mounted shower bracket  
wall connection elbow

**HANSALOFT  
bathtub spout, DN 15**

as wall-mounted spout  
Item No.: 57652100  
Qty: 1  
DR brass (MS 63)  
CACHE® flow straightener with fitting wrench  
square rosette , 75x75mm  
rosette, twist-resistant  
round rosette, Ø 75 mm additionally enclosed

Model	Item No.	
chrome	44874120	

suitable for concealed installation package  
HANSAMATRIX 4486 0050





