


**HANSALOFT trim kit with function unit
trim kit installation set 12
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX installation unit
with shower set
with bathtub spout, DN 15**



Description

HANSALOFT trim kit with function unit
trim kit installation set 12
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX installation unit
with shower set
with bathtub spout, DN 15

**HANSA|LIVING
trim kit with function unit
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX installation unit**


suitable for HANSASIGNATUR, HANSALOFT,
HANSADESIGNO, HANSALIGNA, HANSASTECLA,
HANSARONDA,
with 2-way-diverter/with volume control
rosette without screws
Item No.: 44539503
Qty: 1
trim kit consisting of:
temperature control handle (metal) with safety stop at
38°C
lever for diverter (metal)
sleeve and wall rosette
trim plate frame
retrofitable temperature limiter at approximately 38 °C

**HANSA|LIVING
shower set**

with wall connection elbow
Item No.: 44430100
Qty: 1
HANSASTILO hand shower
Silverjet® shower hose 1250 mm, chrome optic
wall-mounted shower bracket
wall connection elbow

**HANSALOFT
bathtub spout, DN 15**

as wall-mounted spout
Item No.: 57652100
Qty: 1
DR brass (MS 63)
CACHE® flow straightener with fitting wrench
square rosette , 75x75mm
rosette, twist-resistant
round rosette, Ø 75 mm additionally enclosed

Model	Item No.	
chrome	44874120	

suitable for concealed installation package
HANSAMATRIX 4486 0050



Product Image



Product Drawing

