


**HANSALOFT**  
**single-lever shower mixer, DN 15 (G 1/2)**  
 for wall-mounting



**Description**

HANSALOFT  
 single-lever shower mixer, DN 15 (G 1/2)  
 for wall-mounting

P-IX submitted  
 flow rate: 18 l/min, at 3 bar hydraulic pressure

- body: DR brass (MS 63)
- operating lever (metal)
- downward outlet G 1/2
- hidden eccentric connections
- protected against back-flow in domestic use (according to DIN EN 1717)

**HANSA control cartridge classic 3.5**

Item No.: 59913075

Qty: 1

- (-) ceramic discs with integrated grease wells
- (-) adjustable hot water stop
- (-) volume restrictor indefinitely variable up to approx. 6 l/min

**HANSA control cartridge classic 3.5**

Item No.: 59913075

Qty: 1


- (-) ceramic discs with integrated grease wells
- (-) adjustable hot water stop
- (-) volume restrictor indefinitely variable up to approx. 6 l/min

Model	Item No.	
chrome	57710173	


Product Image




Product Drawing




Product Drawing



Product Drawing



### Related Products

<b>Image:</b>	<b>Description:</b>	<b>Model / Item No.:</b>
	<b>HANSAACTIVEJET Style wall bar set 970 mm</b>	chrome 84370230