


**HANSALOFT**  
**trim kit installation set 8.1**  
**single-lever mixer, DN 15**  
**suitable for HANSAMATRIX installation unit**  
 with wall-bar set  
 with HANSARAIN overhead shower, DN 15



**Description**

**HANSALOFT**  
 trim kit installation set 8.1  
 single-lever mixer, DN 15  
 suitable for HANSAMATRIX installation unit  
 with wall-bar set  
 with HANSARAIN overhead shower, DN 15

**HANSARAIN**  
**overhead shower, DN 15**  
**for wall-mounting**

shower head, solid brass Ø 220 mm  
 also compatible with HANSAMATRIX  
 Item No.: 04180300  
 Qty: 1  
 with shower arm 400 mm  
 (-) reinforced edition, pipe Ø 26 mm  
 connection G 1/2  
 mounting flange and additional fastening plate  
 wall connection plate square, twist-resistant  
 flow limiter  
 ball joint connection: 45° swivel  
 limescale protection technology

**HANSA|LIVING**  
**wall bar set 1100 mm**

with wall connection elbow  
 Item No.: 44420100  
 Qty: 1  
 wall bar  
 1100 mm, Ø 18 mm  
 length can be shortened  
 HANSASTILO hand shower  
 Silverjet® shower hose 1600 mm, chrome optic  
 height adjustment: push button control  
 slide: swivelling  
 flexible shower holder  
 wall connection elbow

**HANSALOFT**  
**trim kit**  
**single-lever faucet**  
**suitable for HANSAMATRIX installation unit**

with 2-way-diverter  
 rosette without screws  
 Item No.: 57649503  
 Qty: 1  
 trim kit consisting of:  
 operating lever (metal)  
 lever for diverter (metal)  
 sleeve and wall rosette  
 trim plate frame

Model	Item No.
chrome	44874030



suitable for concealed installation package  
HANSAMATRIX 4486 0010



Product Image



Product Drawing

