


**HANSALOFT trim kit with function unit**  
**trim kit installation set 03**  
**single-lever mixer, DN 15**  
**suitable for HANSAMATRIX installation unit**  
 with wall-bar set  
 with HANSARAIN overhead shower, DN 15



**Description**

HANSALOFT trim kit with function unit  
 trim kit installation set 03  
 single-lever mixer, DN 15  
 suitable for HANSAMATRIX installation unit  
 with wall-bar set  
 with HANSARAIN overhead shower, DN 15

**HANSARAIN**  
**overhead shower, DN 15**  
**for wall-mounting**

shower head, solid brass Ø 220 mm  
 also compatible with HANSAMATRIX  
 Item No.: 04180300  
 Qty: 1  
 with shower arm 400 mm  
 (-) reinforced edition, pipe Ø 26 mm  
 connection G 1/2  
 mounting flange and additional fastening plate  
 wall connection plate square, twist-resistant  
 flow limiter  
 ball joint connection: 45° swivel  
 limescale protection technology

**HANSA|LIVING**  
**wall bar set 1100 mm**

with wall connection elbow  
 Item No.: 44420100  
 Qty: 1  
 wall bar  
 1100 mm, Ø 18 mm  
 length can be shortened  
 HANSASTILO hand shower  
 Silverjet® shower hose 1600 mm, chrome optic  
 height adjustment: push button control  
 slide: swivelling  
 flexible shower holder  
 wall connection elbow

**HANSALOFT**  
**trim kit with function unit**  
**single-lever faucet**  
**suitable for HANSAMATRIX installation unit**

with 2-way-diverter  
 rosette without screws  
 Item No.: 57649503  
 Qty: 1  
 trim kit consisting of:  
 operating lever (metal)  
 lever for diverter (metal)  
 sleeve and wall rosette  
 trim plate frame

Model	Item No.
chrome	44874030



suitable for concealed installation package  
HANSAMATRIX 4486 0010





