


HANSALOFT trim kit with function unit
trim kit installation set 03
single-lever mixer, DN 15
suitable for HANSAMATRIX installation unit
 with wall-bar set
 with HANSARAIN overhead shower, DN 15



Description

HANSALOFT trim kit with function unit
 trim kit installation set 03
 single-lever mixer, DN 15
 suitable for HANSAMATRIX installation unit
 with wall-bar set
 with HANSARAIN overhead shower, DN 15

HANSARAIN
overhead shower, DN 15
for wall-mounting

shower head, solid brass Ø 220 mm
 also compatible with HANSAMATRIX
 Item No.: 04180300
 Qty: 1
 with shower arm 400 mm
 (-) reinforced edition, pipe Ø 26 mm
 connection G 1/2
 mounting flange and additional fastening plate
 wall connection plate square, twist-resistant
 flow limiter
 ball joint connection: 45° swivel
 limescale protection technology

HANSA|LIVING
wall bar set 1100 mm

with wall connection elbow
 Item No.: 44420100
 Qty: 1
 wall bar
 1100 mm, Ø 18 mm
 length can be shortened
 HANSASTILO hand shower
 Silverjet® shower hose 1600 mm, chrome optic
 height adjustment: push button control
 slide: swivelling
 flexible shower holder
 wall connection elbow

HANSALOFT
trim kit with function unit
single-lever faucet
suitable for HANSAMATRIX installation unit

with 2-way-diverter
 rosette without screws
 Item No.: 57649503
 Qty: 1
 trim kit consisting of:
 operating lever (metal)
 lever for diverter (metal)
 sleeve and wall rosette
 trim plate frame

Model	Item No.
chrome	44874030



suitable for concealed installation package
HANSAMATRIX 4486 0010



Product Image



Product Drawing

