


HANSALOFT
trim kit installation set 8.1
single-lever mixer, DN 15
suitable for HANSAMATRIX installation unit
 with wall-bar set
 with HANSARAIN overhead shower, DN 15



Description

HANSALOFT
 trim kit installation set 8.1
 single-lever mixer, DN 15
 suitable for HANSAMATRIX installation unit
 with wall-bar set
 with HANSARAIN overhead shower, DN 15

HANSARAIN
overhead shower, DN 15
for wall-mounting


shower head, solid brass Ø 220 mm
 also compatible with HANSAMATRIX
 Item No.: 04180300
 Qty: 1
 with shower arm 400 mm
 (-) reinforced edition, pipe Ø 26 mm
 connection G 1/2
 mounting flange and additional fastening plate
 wall connection plate square, twist-resistant
 flow limiter
 ball joint connection: 45° swivel
 limescale protection technology

HANSA|LIVING
wall bar set 1100 mm

with wall connection elbow
 Item No.: 44420100
 Qty: 1
 wall bar
 1100 mm, Ø 18 mm
 length can be shortened
 HANSASTILO hand shower
 Silverjet® shower hose 1600 mm, chrome optic
 height adjustment: push button control
 slide: swivelling
 flexible shower holder
 wall connection elbow

HANSALOFT
trim kit
single-lever faucet
suitable for HANSAMATRIX installation unit

with 2-way-diverter
 rosette without screws
 Item No.: 57649503
 Qty: 1
 trim kit consisting of:
 operating lever (metal)
 lever for diverter (metal)
 sleeve and wall rosette
 trim plate frame

| Model | Item No. | |
|--------|----------|---|
| chrome | 44874030 |  |

suitable for concealed installation package
HANSAMATRIX 4486 0010



Product Image



Product Drawing

