

HANSA|LIVING

trim kit installation set 14.2


thermostatic mixer, DN 15 (G1/2)

suitable for HANSAMATRIX Tiptronik installation unit

suitable for HANSASIGNATUR, HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTECLA, HANSARONDA,

wall bar set 1100 mm

HANSAVIVA overhead shower



Description

HANSA|LIVING

trim kit installation set 14.2

thermostatic mixer, DN 15 (G1/2)

suitable for HANSAMATRIX Tiptronik installation unit

suitable for HANSASIGNATUR, HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTECLA, HANSARONDA,

wall bar set 1100 mm

HANSAVIVA overhead shower

- power supply unit 230 V/50-60 Hz, operative voltage 12 V
- control unit

HANSA|LIVING

wall bar set 1100 mm

with wall connection elbow

Item No.: 44420100

Qty: 1

wall bar

1100 mm, Ø 18 mm

length can be shortened

HANSASTILO hand shower

Silverjet® shower hose 1600 mm, chrome optic

height adjustment: push button control

slide: swivelling

flexible shower holder

wall connection elbow

HANSAVIVA

overhead shower, DN 15

for wall-mounting

shower head square 250 x 250 mm

also compatible with HANSAMATRIX

Item No.: 04180340

Qty: 1

with shower arm 400 mm

(-) reinforced edition, pipe Ø 26 mm

connection G 1/2

mounting flange and additional fastening plate

wall connection plate square, twist-resistant

ball joint connection: 56° swivel

limescale protection technology

HANSA|LIVING

trim kit


electronic thermostatic mixer, DN 15 (G1/2)

suitable for HANSAMATRIX Tiptronik installation unit

suitable for HANSASIGNATUR, HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTECLA, HANSARONDA,

for 2 outlets

rosette without screws
 Item No.: 44729503
 Qty: 1
 temperature control handle (metal) with safety stop at 38°C
 HANSATIPTRONIK pushbutton with LED indicator
 sleeve and wall rosette
 trim plate frame
 control unit
 mains supply 230 V/50-60 Hz, operating voltage 12 V

Model	Item No.	
chrome	44870161	

suitable for concealed installation package
 HANSAMATRIX Tiptronik 4486 0090

Connection cable and concealed box are included in the
 concealed package



Product Image



Product Drawing

