


**HANSALIVING**  
**trim kit installation set 17**  
**thermostatic mixer, DN 15 (G1/2)**

**suitable for HANSAMATRIX Tiptronik installation unit**  
 suitable for HANSASIGNATUR, HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTECLA,  
 HANSARONDA,  
 shower set  
 HANSAVIVA overhead shower



**Description**

HANSALIVING  
 trim kit installation set 17  
 thermostatic mixer, DN 15 (G1/2)  
 suitable for HANSAMATRIX Tiptronik installation unit  
 suitable for HANSASIGNATUR, HANSALOFT,  
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,  
 HANSARONDA,  
 shower set  
 HANSAVIVA overhead shower

- power supply unit 230 V/50-60 Hz, operative voltage 12 V
- control unit

**HANSA|LIVING**  
**shower set**

with wall connection elbow  
 Item No.: 44430100  
 Qty: 1  
 HANSASTILO hand shower  
 Silverjet® shower hose 1250 mm, chrome optic  
 wall-mounted shower bracket  
 wall connection elbow


**HANSAVIVA**  
**overhead shower, DN 15**  
**for wall-mounting**

shower head square 250 x 250 mm  
 also compatible with HANSAMATRIX  
 Item No.: 04180340  
 Qty: 1  
 with shower arm 400 mm  
 (-) reinforced edition, pipe Ø 26 mm  
 connection G 1/2  
 mounting flange and additional fastening plate  
 wall connection plate square, twist-resistant  
 ball joint connection: 56° swivel  
 limescale protection technology

**HANSALIVING**  
**electronic thermostatic mixer, DN 15 (G1/2)**  
**suitable for HANSAMATRIX Tiptronik installation unit**

suitable for HANSASIGNATUR, HANSALOFT,  
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,  
 HANSARONDA,  
 for 2 outlets  
 rosette without screws  
 Item No.: 44729503  
 Qty: 1  
 temperature control handle (metal) with safety stop at 38°C  
 HANSATIPTRONIK pushbutton with LED indicator

sleeve and wall rosette  
trim plate frame  
control unit  
mains supply 230 V/50-60 Hz, operating voltage 12 V

<b>Model</b>	<b>Item No.</b>	
chrome	44870171	

suitable for concealed installation package  
HANSAMATRIX Tiptronik 4486 0090

Connection cable and concealed box are included in the  
concealed package



Product Image



Product Drawing

