


HANSA|LIVING
trim kit installation set 15.1
thermostatic mixer, DN 15 (G1/2)

suitable for HANSAMATRIX Tiptronik installation unit
 suitable for HANSASIGNATUR, HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTECLA,
 HANSARONDA,
 wall bar set 1100 mm



Description

HANSA|LIVING
 trim kit installation set 15.1
 thermostatic mixer, DN 15 (G1/2)
 suitable for HANSAMATRIX Tiptronik installation unit
 suitable for HANSASIGNATUR, HANSALOFT,
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,
 HANSARONDA,
 wall bar set 1100 mm

- power supply unit 230 V/50-60 Hz, operative voltage 12 V
- control unit

HANSA|LIVING
wall bar set 1100 mm
 with wall connection elbow
 Item No.: 44420100

Qty: 1
 wall bar
 1100 mm, Ø 18 mm
 length can be shortened
 HANSASTILO hand shower
 Silverjet® shower hose 1600 mm, chrome optic
 height adjustment: push button control
 slide: swivelling
 flexible shower holder
 wall connection elbow

HANSA|LIVING
trim kit
electronic thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX Tiptronik installation unit

suitable for HANSASIGNATUR, HANSALOFT,
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,
 HANSARONDA,
 for 1 outlet
 rosette without screws
 Item No.: 44739503
 Qty: 1
 trim kit consisting of:
 temperature control handle (metal) with safety stop at 38°C
 HANSATIPTRONIK pushbutton with LED indicator
 sleeve and wall rosette
 trim plate frame
 mains supply 230 V/50-60 Hz, operating voltage 12 V
 control unit

Model	Item No.
chrome	44870180



suitable for concealed installation package
HANSAMATRIX Tiptronic 4486 0100



Product Image



Product Drawing

