


**HANSALIVING**  
**trim kit installation set 18**  
**thermostatic mixer, DN 15 (G1/2)**

**suitable for HANSAMATRIX Tiptronik installation unit**  
 suitable for HANSASIGNATUR, HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTELA,  
 HANSARONDA,  
 wall bar set 1100 mm



**Description**

**HANSALIVING**  
 trim kit installation set 18  
 thermostatic mixer, DN 15 (G1/2)  
 suitable for HANSAMATRIX Tiptronik installation unit  
 suitable for HANSASIGNATUR, HANSALOFT,  
 HANSADESIGNO, HANSALIGNA, HANSASTELA,  
 HANSARONDA,  
 wall bar set 1100 mm

- power supply unit 230 V/50-60 Hz, operative voltage 12 V
- control unit

**HANSA|LIVING**  
**wall bar set 1100 mm**

with wall connection elbow

Item No.: 44420100

Qty: 1

wall bar

1100 mm, Ø 18 mm

length can be shortened

HANSASTILO hand shower

Silverjet® shower hose 1600 mm, chrome optic

height adjustment: push button control

slide: swivelling

flexible shower holder

wall connection elbow

**HANSALIVING**  
**electronic thermostatic mixer, DN 15 (G1/2)**  
**suitable for HANSAMATRIX Tiptronik installation unit**

suitable for HANSASIGNATUR, HANSALOFT,  
 HANSADESIGNO, HANSALIGNA, HANSASTELA,  
 HANSARONDA,

for 1 outlet

rosette without screws

Item No.: 44739503

Qty: 1

trim kit consisting of:

temperature control handle (metal) with safety stop at 38°C


HANSATIPTRONIK pushbutton with LED indicator

sleeve and wall rosette

trim plate frame

mains supply 230 V/50-60 Hz, operating voltage 12 V

control unit

Model	Item No.	
chrome	44870180	

suitable for concealed installation package

HANSAMATRIX Tiptronic 4486 0100



Product Image



Product Drawing

