


HANSA|LIVING
trim kit installation set 15.2
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX Tiptronic installation unit
 suitable for HANSASIGNATUR, HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTECLA,
 HANSARONDA,
 shower set



Description

HANSA|LIVING
 trim kit installation set 15.2
 thermostatic mixer, DN 15 (G1/2)
 suitable for HANSAMATRIX Tiptronic installation unit
 suitable for HANSASIGNATUR, HANSALOFT,
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,
 HANSARONDA,
 shower set

- power supply unit 230 V/50-60 Hz, operative voltage 12 V
- control unit


HANSA|LIVING
shower set

with wall connection elbow
 Item No.: 44430100
 Qty: 1
 HANSASTILO hand shower
 Silverjet® shower hose 1250 mm, chrome optic
 wall-mounted shower bracket
 wall connection elbow

HANSA|LIVING
trim kit

electronic thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX Tiptronic installation unit

suitable for HANSASIGNATUR, HANSALOFT,
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,
 HANSARONDA,
 for 1 outlet
 rosette without screws
 Item No.: 44739503
 Qty: 1
 trim kit consisting of:
 temperature control handle (metal) with safety stop at 38°C
 HANSATIPTRONIK pushbutton with LED indicator
 sleeve and wall rosette
 trim plate frame
 mains supply 230 V/50-60 Hz, operating voltage 12 V
 control unit

Model	Item No.	
chrome	44870190	

suitable for concealed installation package
 HANSAMATRIX Tiptronic 4486 0100





Product Image



Product Drawing

