


HANSA|LIVING
trim kit installation set 15.2
thermostatic mixer, DN 15 (G1/2)

suitable for HANSAMATRIX Tiptronic installation unit

suitable for HANSASIGNATUR, HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTECLA, HANSARONDA, shower set



Description

HANSA|LIVING
 trim kit installation set 15.2
 thermostatic mixer, DN 15 (G1/2)
 suitable for HANSAMATRIX Tiptronic installation unit
 suitable for HANSASIGNATUR, HANSALOFT,
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,
 HANSARONDA,
 shower set

- power supply unit 230 V/50-60 Hz, operative voltage 12 V
- control unit

HANSA|LIVING
shower set

with wall connection elbow

Item No.: 44430100

Qty: 1

HANSASTILO hand shower

Silverjet® shower hose 1250 mm, chrome optic

wall-mounted shower bracket

wall connection elbow

HANSA|LIVING
trim kit

electronic thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX Tiptronic installation unit

suitable for HANSASIGNATUR, HANSALOFT,
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,
 HANSARONDA,

for 1 outlet

rosette without screws

Item No.: 44739503

Qty: 1

trim kit consisting of:

temperature control handle (metal) with safety stop at 38°C

HANSATIPTRONIK pushbutton with LED indicator

sleeve and wall rosette

trim plate frame

mains supply 230 V/50-60 Hz, operating voltage 12 V

control unit

Model

Item No.

chrome

44870190



suitable for concealed installation package
 HANSAMATRIX Tiptronic 4486 0100





Product Image



Product Drawing

