


**HANSALIVING**  
**trim kit installation set 19**  
**thermostatic mixer, DN 15 (G1/2)**

**suitable for HANSAMATRIX Tiptronic installation unit**  
 suitable for HANSASIGNATUR, HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTECLA,  
 HANSARONDA,  
 shower set



**Description**

HANSALIVING  
 trim kit installation set 19  
 thermostatic mixer, DN 15 (G1/2)  
 suitable for HANSAMATRIX Tiptronic installation unit  
 suitable for HANSASIGNATUR, HANSALOFT,  
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,  
 HANSARONDA,  
 shower set

- power supply unit 230 V/50-60 Hz, operative voltage 12 V
- control unit

**HANSA|LIVING**  
**shower set**

with wall connection elbow  
 Item No.: 44430100  
 Qty: 1  
 HANSASTILO hand shower  
 Silverjet® shower hose 1250 mm, chrome optic  
 wall-mounted shower bracket  
 wall connection elbow

**HANSALIVING**  
**electronic thermostatic mixer, DN 15 (G1/2)**  
**suitable for HANSAMATRIX Tiptronic installation unit**

suitable for HANSASIGNATUR, HANSALOFT,  
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,  
 HANSARONDA,  
 for 1 outlet  
 rosette without screws  
 Item No.: 44739503  
 Qty: 1  
 trim kit consisting of:  
 temperature control handle (metal) with safety stop at 38°C  
 HANSATIPTRONIK pushbutton with LED indicator  
 sleeve and wall rosette  
 trim plate frame  
 mains supply 230 V/50-60 Hz, operating voltage 12 V  
 control unit

Model	Item No.
chrome	44870190

suitable for concealed installation package  
 HANSAMATRIX Tiptronic 4486 0100





Product Image



Product Drawing

