


**HANSALIVING**  
**trim kit installation set 07**  
**thermostatic mixer, DN 15 (G1/2)**  
**suitable for HANSAMATRIX installation unit**

suitable for HANSASIGNATUR, HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTECLA, HANSARONDA,  
 wall bar set 1100 mm  
 HANSARAIN overhead shower



**Description**

**HANSALIVING**  
 trim kit installation set 07  
 thermostatic mixer, DN 15 (G1/2)  
 suitable for HANSAMATRIX installation unit  
 suitable for HANSASIGNATUR, HANSALOFT,  
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,  
 HANSARONDA,  
 wall bar set 1100 mm  
 HANSARAIN overhead shower

**HANSARAIN**  
**overhead shower, DN 15**  
**for wall-mounting**

shower head, solid brass  $\varnothing$  220 mm  
 also compatible with HANSAMATRIX  
 Item No.: 04180300  
 Qty: 1  
 with shower arm 400 mm  
 (-) reinforced edition, pipe  $\varnothing$  26 mm  
 connection G 1/2  
 mounting flange and additional fastening plate  
 wall connection plate square, twist-resistant  
 flow limiter  
 ball joint connection: 45° swivel  
 limescale protection technology


**HANSA|LIVING**  
**trim kit with function unit**  
**thermostatic mixer, DN 15 (G1/2)**  
**suitable for HANSAMATRIX installation unit**

suitable for HANSASIGNATUR, HANSALOFT,  
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,  
 HANSARONDA,  
 with 2-way-diverter/with volume control  
 rosette without screws  
 Item No.: 44539503  
 Qty: 1  
 trim kit consisting of:  
 temperature control handle (metal) with safety stop at 38°C  
 lever for diverter (metal)  
 sleeve and wall rosette  
 trim plate frame  
 retrofittable temperature limiter at approximately 38 °C

**HANSA|LIVING**  
**wall bar set 1100 mm**

with wall connection elbow  
 Item No.: 44420100  
 Qty: 1  
 wall bar  
 1100 mm,  $\varnothing$  18 mm  
 length can be shortened  
 HANSASTILO hand shower

Silverjet® shower hose 1600 mm, chrome optic  
height adjustment: push button control  
slide: swivelling  
flexible shower holder  
wall connection elbow

<b>Model</b>	<b>Item No.</b>	
chrome	44870070	

suitable for concealed installation package  
HANSAMATRIX 4486 0040



Product Image



Product Drawing

