


HANSA|LIVING
trim kit installation set 10.2
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX installation unit

suitable for HANSASIGNATUR, HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTECLA, HANSARONDA,
 wall bar set 1100 mm
 HANSAVIVA overhead shower



Description

HANSA|LIVING
 trim kit installation set 10.2
 thermostatic mixer, DN 15 (G1/2)
 suitable for HANSAMATRIX installation unit
 suitable for HANSASIGNATUR, HANSALOFT,
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,
 HANSARONDA,
 wall bar set 1100 mm
 HANSAVIVA overhead shower

HANSA|LIVING
trim kit
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX installation unit
 suitable for HANSASIGNATUR, HANSALOFT,
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,
 HANSARONDA,
 with 2-way-diverter/with volume control
 rosette without screws
 Item No.: 44539503
 Qty: 1
 trim kit consisting of:
 temperature control handle (metal) with safety stop at 38°C
 lever for diverter (metal)
 sleeve and wall rosette
 trim plate frame
 retrofittable temperature limiter at approximately 38 °C

HANSA|LIVING
wall bar set 1100 mm
 with wall connection elbow
 Item No.: 44420100
 Qty: 1
 wall bar
 1100 mm, Ø 18 mm
 length can be shortened
 HANSASTILO hand shower
 Silverjet® shower hose 1600 mm, chrome optic
 height adjustment: push button control
 slide: swivelling
 flexible shower holder
 wall connection elbow

HANSAVIVA
overhead shower, DN 15
for wall-mounting
 shower head square 250 x 250 mm
 also compatible with HANSAMATRIX
 Item No.: 04180340
 Qty: 1
 with shower arm 400 mm
 (-) reinforced edition, pipe Ø 26 mm
 connection G 1/2

mounting flange and additional fastening plate
 wall connection plate square, twist-resistant
 ball joint connection: 56° swivel
 limescale protection technology

HANSA|LIVING

**trim kit with function unit
 thermostatic mixer, DN 15 (G1/2)**

suitable for HANSAMATRIX installation unit

suitable for HANSASIGNATUR, HANSALOFT,
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,
 HANSARONDA,

with 2-way-diverter/with volume control

rosette without screws

Item No.: 44539583

Qty: 1

trim kit consisting of:


temperature control handle (metal) with safety stop at
 38°C

lever for diverter (metal)

sleeve and wall rosette

trim plate frame

retrofittable temperature limiter at approximately 38 °C

Model	Item No.
chrome	44870071 

suitable for concealed installation package
 HANSAMATRIX 4486 0040

estimated availability until 30.06.2018



Product Image



Product Drawing

