


HANSALIVING
trim kit installation set 07
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX installation unit

suitable for HANSASIGNATUR, HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTECLA, HANSARONDA,
 wall bar set 1100 mm
 HANSAVIVA overhead shower



Description


HANSALIVING
 trim kit installation set 07
 thermostatic mixer, DN 15 (G1/2)
 suitable for HANSAMATRIX installation unit
 suitable for HANSASIGNATUR, HANSALOFT,
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,
 HANSARONDA,
 wall bar set 1100 mm
 HANSAVIVA overhead shower

HANSA|LIVING
trim kit with function unit
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX installation unit
 suitable for HANSASIGNATUR, HANSALOFT,
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,
 HANSARONDA,
 with 2-way-diverter/with volume control
 rosette without screws
 Item No.: 44539503
 Qty: 1
 trim kit consisting of:
 temperature control handle (metal) with safety stop at 38°C
 lever for diverter (metal)
 sleeve and wall rosette
 trim plate frame
 retrofittable temperature limiter at approximately 38 °C

HANSA|LIVING
wall bar set 1100 mm
 with wall connection elbow
 Item No.: 44420100
 Qty: 1
 wall bar
 1100 mm, Ø 18 mm
 length can be shortened
 HANSASTILO hand shower
 Silverjet® shower hose 1600 mm, chrome optic
 height adjustment: push button control
 slide: swivelling
 flexible shower holder
 wall connection elbow

HANSAVIVA
overhead shower, DN 15
for wall-mounting
 shower head square 250 x 250 mm
 also compatible with HANSAMATRIX
 Item No.: 04180340
 Qty: 1
 with shower arm 400 mm
 (-) reinforced edition, pipe Ø 26 mm
 connection G 1/2

mounting flange and additional fastening plate
wall connection plate square, twist-resistant
ball joint connection: 56° swivel
limescale protection technology

Model	Item No.	
chrome	44870071	

suitable for concealed installation package
HANSAMATRIX 4486 0040



Product Image



Product Drawing

