


HANSA|LIVING
trim kit installation set 10.2
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX installation unit

suitable for HANSASIGNATUR, HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTECLA,
HANSARONDA,
wall bar set 1100 mm
HANSAVIVA overhead shower



Description

HANSA|LIVING
trim kit installation set 10.2
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX installation unit
suitable for HANSASIGNATUR, HANSALOFT,
HANSADESIGNO, HANSALIGNA, HANSASTECLA,
HANSARONDA,
wall bar set 1100 mm
HANSAVIVA overhead shower

HANSA|LIVING
trim kit
thermostatic mixer, DN 15 (G1/2)
suitable for HANSAMATRIX installation unit
suitable for HANSASIGNATUR, HANSALOFT,
HANSADESIGNO, HANSALIGNA, HANSASTECLA,
HANSARONDA,
with 2-way-diverter/with volume control
rosette without screws
Item No.: 44539503
Qty: 1
trim kit consisting of:
temperature control handle (metal) with safety stop at 38°C
lever for diverter (metal)
sleeve and wall rosette
trim plate frame
retrofittable temperature limiter at approximately 38 °C

HANSA|LIVING
wall bar set 1100 mm
with wall connection elbow
Item No.: 44420100
Qty: 1
wall bar
1100 mm, Ø 18 mm
length can be shortened
HANSASTILO hand shower
Silverjet® shower hose 1600 mm, chrome optic
height adjustment: push button control
slide: swivelling
flexible shower holder
wall connection elbow

HANSAVIVA
overhead shower, DN 15
for wall-mounting
shower head square 250 x 250 mm
also compatible with HANSAMATRIX
Item No.: 04180340
Qty: 1
with shower arm 400 mm
(-) reinforced edition, pipe Ø 26 mm
connection G 1/2

mounting flange and additional fastening plate
 wall connection plate square, twist-resistant
 ball joint connection: 56° swivel
 limescale protection technology

HANSA|LIVING

**trim kit with function unit
 thermostatic mixer, DN 15 (G1/2)**

suitable for HANSAMATRIX installation unit

suitable for HANSASIGNATUR, HANSALOFT,
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,
 HANSARONDA,

with 2-way-diverter/with volume control

rosette without screws

Item No.: 44539583

Qty: 1

trim kit consisting of:


temperature control handle (metal) with safety stop at
 38°C

lever for diverter (metal)

sleeve and wall rosette

trim plate frame

retrofittable temperature limiter at approximately 38 °C

Model	Item No.	
chrome	44870071	

suitable for concealed installation package
 HANSAMATRIX 4486 0040

estimated availability until 30.06.2018



Product Image



Product Drawing

