


**HANSA|LIVING**  
**trim kit installation set 10.4**  
**thermostatic mixer, DN 15 (G1/2)**  
**suitable for HANSAMATRIX installation unit**

suitable for HANSASIGNATUR, HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTECLA, HANSARONDA,  
 shower set  
 HANSAVIVA overhead shower



**Description**

HANSA|LIVING  
 trim kit installation set 10.4  
 thermostatic mixer, DN 15 (G1/2)  
 suitable for HANSAMATRIX installation unit  
 suitable for HANSASIGNATUR, HANSALOFT,  
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,  
 HANSARONDA,  
 shower set  
 HANSAVIVA overhead shower

**HANSA|LIVING**  
**trim kit**  
**thermostatic mixer, DN 15 (G1/2)**  
**suitable for HANSAMATRIX installation unit**  
 suitable for HANSASIGNATUR, HANSALOFT,  
 HANSADESIGNO, HANSALIGNA, HANSASTECLA,  
 HANSARONDA,  
 with 2-way-diverter/with volume control  
 rosette without screws  
 Item No.: 44539503  
 Qty: 1  
 trim kit consisting of:  
 temperature control handle (metal) with safety stop at 38°C  
 lever for diverter (metal)  
 sleeve and wall rosette  
 trim plate frame  
 retrofittable temperature limiter at approximately 38 °C

**HANSA|LIVING**  
**shower set**  
 with wall connection elbow  
 Item No.: 44430100  
 Qty: 1  
 HANSASTILO hand shower  
 Silverjet® shower hose 1250 mm, chrome optic  
 wall-mounted shower bracket  
 wall connection elbow

**HANSAVIVA**  
**overhead shower, DN 15**  
**for wall-mounting**  
 shower head square 250 x 250 mm  
 also compatible with HANSAMATRIX  
 Item No.: 04180340  
 Qty: 1  
 with shower arm 400 mm  
 (-) reinforced edition, pipe Ø 26 mm  
 connection G 1/2  
 mounting flange and additional fastening plate  
 wall connection plate square, twist-resistant  
 ball joint connection: 56° swivel  
 limescale protection technology

**HANSA|LIVING**

**trim kit with function unit**

**thermostatic mixer, DN 15 (G1/2)**

**suitable for HANSAMATRIX installation unit**

suitable for HANSASIGNATUR, HANSALOFT,  
HANSADESIGNO, HANSALIGNA, HANSASTECLA,  
HANSARONDA,

with 2-way-diverter/with volume control

rosette without screws

Item No.: 44539583

Qty: 1

trim kit consisting of:


temperature control handle (metal) with safety stop at  
38°C

lever for diverter (metal)

sleeve and wall rosette

trim plate frame

retrofittable temperature limiter at approximately 38 °C

Model	Item No.	
chrome	44870081	

suitable for concealed installation package  
HANSAMATRIX 4486 0040

estimated availability until 30.06.2018



Product Image



Product Drawing

