


**HANSAUNITA**  
**bath renovation set**  
 with HANSAVIVA wall bar set 900 mm (4415 0130)




**Description**

HANSAUNITA  
 bath renovation set  
 with HANSAVIVA wall bar set 900 mm (4415 0130)

flow rate: 20/12 l/min (spout/shower), at 3 bar hydraulic pressure

- consisting of:
- HANSAUNITA
- thermostatic bath faucet, DN 15 (G1 / 2)
- for wall-mounting
- with protection against scalding
- body: DR brass (MS 63)
- THERMO COOL - function
- operating handles
- volume valve with ceramic discs
- water rate economy button
- safety stop against scalding at 38°C
- HANSAVIVA hand shower, 100 mm
- (-) 3-spray
- eccentric connections
- (-) centre distance: 150 ± 15 mm
- strainer and backflow preventer in connections
- protected against back-flow in domestic use (according to DIN EN 1717)


Model	Item No.	
chrome	48372131	




Product Image




Product Drawing





Product Drawing



Product Drawing



### Related Products

Image:	Description:	Model / Item No.:
	<p><b>HANSAUNITA</b>  <b>thermostatic bath faucet, DN 15 (G1 /2)</b></p> <p>for wall-mounting  with protection against scalding</p>	<p>chrome  58372101</p>
	<p><b>HANSAVIVA</b>  <b>wall bar set 900 mm</b></p> <p>length can be shortened</p>	<p>chrome  44150130</p>