



HANSAUNITA
bath renovation set
 with HANSAVIVA wall bar set 900 mm (4415 0130)




Description	
<p>HANSAUNITA bath renovation set with HANSAVIVA wall bar set 900 mm (4415 0130)</p> <p>flow rate: 20/12 l/min (spout/shower), at 3 bar hydraulic pressure</p> <ul style="list-style-type: none"> • consisting of: • HANSAUNITA • thermostatic bath faucet, DN 15 (G1 / 2) • for wall-mounting • with protection against scalding • body: DR brass (MS 63) • THERMO COOL - function • operating handles • volume valve with ceramic discs • water rate economy button • safety stop against scalding at 38°C • HANSAVIVA hand shower, 100 mm • (-) 3-spray • eccentric connections • (-) centre distance: 150 ± 15 mm • strainer and backflow preventer in connections • protected against back-flow in domestic use (according to DIN EN 1717) 	
Model	Item No.
chrome	48372131 




Product Image




Product Drawing





Product Drawing



Product Drawing



Related Products

Image:	Description:	Model / Item No.:
	<p>HANSAUNITA thermostatic bath faucet, DN 15 (G1 /2)</p> <p>for wall-mounting with protection against scalding</p>	<p>chrome 58372101</p>
	<p>HANSAVIVA wall bar set 900 mm</p> <p>length can be shortened</p>	<p>chrome 44150130</p>